


FERRITE MATERIAL:K5B (RMS-303)										
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK				
				25MHz	100MHz					
RRH-25-8-40	2.50	4.00	0.80	33	52	4,000				
RRH-25-8-70		7.00		55	85					
RRH-30-10-30	3.00	3.00	1.00	25	47		2,000			
RRH-30-12-30			1.20	23	44					
RRH-30-10-40		4.00	32	51						
RRH-30-10-60	6.00	1.00	46	74						
RRH-35-8-35	3.50	3.50	0.80	37	62			4,000		
RRH-35-12-35			1.20	26	45					
RRH-35-18-35			1.80	19	37					
RRH-35-10-40		4.00	1.00	32	55				2,000	
RRH-35-12-40			1.20	31	46					
RRH-35-13-40			1.30	29	48					
RRH-35-15-40			1.50	25	43					
RRH-35-8-45		4.50	0.80	46	86	4,000				
RRH-35-8-47		4.70		46	77					
RRH-35-8-50		5.00		50	85		2,000			
RRH-35-12-50	1.20		37	55						
RRH-35-13-50	1.30		61							
RRH-35-15-50	1.50		33	51						
RRH-35-18-50	1.80	27	48	4,000						
RRH-35-8-60	3.50	0.80	57		92			2,000		
RRH-35-10-60		1.00	53		75					
RRH-35-12-60		1.20	45		73					
RRH-35-13-60	6.00	1.30	43		64	4,000				
RRH-35-15-60		1.50	35		60					
RRH-35-18-60		1.80	28		54					
RRH-35-12-70	7.00	1.20	54		84		2,000			
RRH-35-8-75	7.50		69		114					
RRH-35-8-80	8.00	0.80	77		134				4,000	
RRH-35-10-80		1.00	78	111						
RRH-35-8-90	9.00	0.80	93	158	2,000					
RRH-35-13-90		1.30	62	80						
RRH-35-8-95	9.50		84	133				1,000		
RRH-35-8-140	14.00	0.80	144	212						
RRH-40-15-40	4.00	1.50	26	51		2,000				
RRH-40-20-40		2.00	24	48						
RRH-40-15-50	4.00	5.00	1.50	35			54			4,000
RRH-40-20-50			28	51						
RRH-40-20-60		6.00	2.00	30			49			
RRH-40-20-70		7.00		40			64			
RRH-40-20-80		8.00		39	58					
RRH-40-15-100				0.05	65		91			
RRH-40-20-100		10.00		53	80		2,000			
RRH-40-20-120		12.00	2.00	52	76					
RRH-40-20-150	15.00	70		97						
RRH-40-20-170	17.00	79		116						

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHz	100MHz			
RRH-45-25-48	4.50	4.80	2.50	21	41	2,000		
RRH-45-25-70		7.00		32	55			
RRH-45-26-120		12.00		2.60	49		72	
RRH-46-20-110	4.60	11.00	2.00	65	104		1,000	
RRH-48-23-64	4.83	6.35	2.29	43	80			
RRH-50-23-50	5.00	5.00	2.30	30	55			
RRH-50-16-62		6.20	1.60	56	91			
RRH-50-24-64		6.35	2.36	32	50			
RRH-50-23-100		10.00	2.30	51	72			
RRH-50-15-110	5.70	11.00	1.50	84	119			500
RRH-50-22-120		12.00	2.15	69	108			
RRH-50-22-180		18.00		128	147			
RRH-50-15-200	20.00	1.50	158	221				
RRH-57-15-80	5.70	8.00	1.50	76	111	1,000		
RRH-60-30-100	6.00	10.00	3.00	52	90			
RRH-60-40-100		4.00	27	48				
RRH-60-40-128	6.35	12.80	4.00	34	54		500	
RRH-60-32-180		18.00	3.15	100	155			
RRH-60-30-250		25.00	3.00	120	175			
RRH-64-33-127	6.50	12.70	3.30	55	80			
RRH-64-33-158		15.80	3.30	76	101			
RRH65-43-100	7.50	10.00	4.30	34	62			1,000
RRH-65-43-110		11.00	3.80	38	63			
RRH-75-24-75	7.50	7.50	2.40	60	102	2,000		
RRH-79-30-100	7.90	10.00	3.00	68	108			
RRH-79-40-128		12.80	4.00	66	107			
RRH-79-30-190		19.00	3.00	130	190			
RRH-80-60-90	8.00	9.00	6.00	23	47		500	
RRH-80-60-98		9.80	6.00	22	41			
RRH-80-40-100		10.00	4.00	48	71			
RRH-80-32-101		10.06	3.18	67	115			
RRH-80-60-120	9.30	12.00	6.00	25	45			
RRH-80-50-160		16.00	5.00	59	104			
RRH93-45-95		9.50	4.50	53	98			
RRH-93-58-110	9.50	11.00	5.80	37	62	300		
RRH-95-48-95		9.50	4.80	50	86			
RRH-95-52-95	9.50	5.20	45	76				
RRH-95-52-100		10.00	5.80	48	74			
RRH-95-58-100		10.40	5.00	53	81			
RRH-95-50-104		12.70	4.80	56	80			
RRH-95-50-145		14.50		75	121			
RRH-95-50-160		16.00	5.00	72	114			
RRH-95-50-190		19.00		95	135			
RRH-95-50-195		19.50		98	153			
RRH-96-51-159	9.52	15.88	5.08	74	103			

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-98-8-114	9.80	11.40	0.80	167	256	200	
RRH-98-67-135		13.50	6.70	43	91	500	
RRH-98-67-191		19.05		51	88	300	
RRH-100-50-100	10.00	10.00	5.00	54	85	500	
RRH-100-60-100		10.00	6.00	38	66		
RRH-100-70-100			7.00	31	57		
RRH-100-60-140	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150	
RRH-105-55-250		25.00		106	173		
RRH-110-50-160	11.00	16.00	5.00	87	138	200	
RRH-110-50-185		18.50		113	178		
RRH-110-50-200		20.00		106	154		
RRH-110-50-250		25.00		145	230		400
RRH-115-50-185	11.50	18.50	4.30	101	146	100	
RRH-115-43-200		20.00		148	210		
RRH-115-43-260		26.00		190	270		
RRH-118-73-150	11.80	15.00	7.30	61	109	200	
RRH-120-70-120	12.00	12.00	7.00	46	76	300	
RRH-120-85-120		12.00	8.50	39	75	200	
RRH-120-56-150			5.60	79	124		
RRH-120-70-150		15.00	7.00	60	92	100	
RRH-120-85-150			8.50	45	85		
RRH-120-56-200		20.00	5.60	119	175	165	
RRH-120-73-200			7.30	69	108	100	
RRH-120-35-230		23.00	3.50	207	326	110	
RRH-120-56-300			30.00	5.60	180		260
RRH-122-79-203		12.20	23.00	7.90	67	108	100
RRH-123-70-200	12.30	20.00	7.00	72	137	165	
RRH-123-49-254	12.32	25.40	4.88	172	264	100	
RRH-125-80-125	12.50	12.50	8.00	42	72	200	
RRH-125-52-150		15.00	5.20	95	145		
RRH-127-79-127	12.70	12.70	7.90	43	60	200	
RRH-140-90-150	14.00	15.00	9.00	48	82	200	
RRH-142-64-150	14.20	15.00	6.35	92	146	110	
RRH-142-70-150			7.00	78	116		
RRH-142-80-150		18.00	8.00	63	107	100	
RRH-142-64-180			6.35	99	141		
RRH-142-70-235		23.50	7.00	127	204	110	
RRH-142-64-285			6.35	164	255		
RRH-142-70-285		28.50	7.00	143	243	110	
RRH-142-80-285			8.00	128	195		
RRH-149-70-190		14.99	19.00	6.99	107	171	128
RRH-149-70-279			27.94		151	237	110

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280		28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175			17.50	4.30	92	213	126
RRH-160-70-200		20.00	7.00	111	163	96	
RRH-160-70-280				174	247		
RRH-160-90-280		28.00	9.00	104	178	99	
RRH-160-100-280			10.00	91	156		
RRH-160-90-285		28.50	9.00	105	195	88	
RRH-171-88-254		17.07	25.40	8.76	122		180
RRH-175-80-285	17.50	28.50	8.00	139	203		
RRH-175-83-285			8.30	143	242		
RRH-175-95-285			9.50	115	170		
RRH-175-107-285			10.70	90	150		
RRH-175-95-350	35.00	9.50	152	253	100		
RRH-180-100-180	18.00	18.00	80	135			
RRH-180-100-280	18.00	28.00	124	209	88		
RRH-180-100-290		29.00	128	210			
RRH-186-102-250	18.67	25.00	10.16	115	178	77	
RRH-186-102-286		28.57	117	171			
RRH-190-130-290	19.00	29.00	13.00	60	105	40	
RRH-190-58-315		31.50	5.80	243	323		
RRH-190-58-350		35.00	272	340			
RRH-190-63-350		6.30	242	324	32		
RRH-259-128-286	25.91	28.57	12.83	127		195	
RRH-280-160-280	28.00	28.00	16.00	110	169	24	
RRH-285-138-286	28.50	28.57	13.77	158	250		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN MM
GENERAL TOLERANCES ±0.25
UNLESS OTHERWISE STATED
1 DECIMAL PLACE ±
2 DECIMAL PLACES ±
ANGULAR ±1°

THIRD ANGLE

MATERIAL: See Table
COLOUR: See Table


DESCRIPTION: RRH Solid Ferrite Cores
PART No: See Table

DRG No: 06-055
NPR No:
Mass:(g) SHEET SIZE A3


DRN: NJB
DATE: 30/05/06
CHKD: AS
DATE: 30/05/06
SCALE: SHEET No. 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-25-8-40




RRH-25-8-70




RRH-30-10-30




RRH-30-10-40




RRH-30-10-60




RRH-30-12-30




RRH-35-8-35




RRH-35-8-45




RRH-35-8-47-K5B




RRH-35-8-50




RRH-30-8-60




RRH-35-8-75



RRH-35-8-80



RRH-35-8-90



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE 3 OF 13		SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 8 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 11 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 13 OF 13	