

RS 127 G - 2 6 A - KQ 15 A 6 - 00

1 2 3 4 5 6 7 8 9 10 11

(1) 開關系列 Switch series

RS 旋轉式波段開關 Rotating band switch

(2) 12 7 產品系列 Series

設計代碼，公司內部受控 Design code, internal controlled

產品類型或外徑 Product type or diameter

(3) G 產品結構 Product structure

代號 Code	G	N
說明 Instructions	臥式 Horizontal	立式 Vertical

(4) 2 極數 Number of poles

(5) 6 接點數 Pick up points

(6) A 腳位長度 A length of foot

H	A	B
	10mm	12.5mm

(7) KQ 軸的類型 Shaft type

(8) 15 軸的安裝高度 Installation of the shaft height

(9) A 軸芯的材質 Axis core material


代號	A	B	C	D	E	F	G	W
材質 Materials	硬鋁合金 Aluminium	黑色塑膠 Insulated	銅 Copper	壓鑄鋅 Diecast	鐵 Iron	鍍黑 Black	鍍銀 Silver	白色塑膠 White

(10) 6 操作部位長度 The length of operation site

(11) 00 特記號，公司內部受控 Special marks, company controlled

型號 (model)

尺寸圖 (Size chart)




開關線路選擇 (Switch routes)

	型號 Model	段數 Section	極數 Pole	位數 Position	空端子 Air terminal
1	RS164-12	1	1	2	③ ④ ⑤ ⑥ ⑦ ⑧
2	RS164-13	1	1	3	④ ⑤ ⑥ ⑦ ⑧
3	RS164-14	1	1	4	⑤ ⑥ ⑦ ⑧
4	RS164-15	1	1	5	⑥ ⑦ ⑧
5	RS164-16	1	1	6	⑦ ⑧
6	RS164-17	1	1	7	⑧
7	RS164-18	1	1	8	
8	RS164-22	1	2	2	③ ④ ⑦ ⑧
9	RS164-23	1	2	3	④ ⑧
10	RS164-24	1	2	4	


開關連接狀態 (Switch the connection status)



安裝及電路圖 (Installation and circuit diagram)



軸的種類 (The types of shaft)






開關綫路選擇 (Switch routes)

	型號 Model	段數 Section	極數 Pole	位數 Position	空端子 Air terminal
1	RS125N-12	1	1	2	① ②
2	RS125N-13	1	1	3	①
3	RS125N-14	1	1	4	
4	RS125G-12	1	1	2	① ②
5	RS125G-13	1	1	3	①
6	RS125G-14	1	1	4	
7	RS125G-12-00	1	1	2	① ②
8	RS125G-13-00	1	1	3	①
9	RS125G-14-00	1	1	4	
10	RS125G-22	1	2	2	① ②
11	RS125G-23	1	2	3	①
12	RS125G-24	1	2	4	
13	RS125G-32	1	3	2	① ②
14	RS125G-33	1	3	3	①
15	RS125G-34	1	3	4	
16	RS125G-42	1	4	2	① ②
17	RS125G-43	1	4	3	①
18	RS125G-44	1	4	4	
19	RS127N-12	1	1	2	① ② ③ ④
20	RS127N-13	1	1	3	① ② ③
21	RS127N-14	1	1	4	① ②
22	RS127N-15	1	1	5	①
23	RS127N-16	1	1	6	
24	RS127G-12	1	1	2	① ② ③ ④



開關綫路選擇 (Switch routes)

	型號 Model	段數 Section	極數 Pole	位數 Position	空端子 Air terminal
25	RS127G-13	1	1	3	① ② ③
26	RS127G-14	1	1	4	① ②
27	RS127G-15	1	1	5	①
28	RS127G-16	1	1	6	
29	RS127G-12-00	1	1	2	① ② ③ ④
30	RS127G-13-00	1	1	3	① ② ③
31	RS127G-14-00	1	1	4	① ②
32	RS127G-15-00	1	1	5	①
33	RS127G-16-00	1	1	6	
34	RS127G-22	1	2	2	① ② ③ ④
35	RS127G-23	1	2	3	① ② ③
36	RS127G-24	1	2	4	① ②
37	RS127G-25	1	2	5	①
38	RS127G-26	1	2	6	
39	RS127G-32	1	3	2	① ② ③ ④
40	RS127G-33	1	3	3	① ② ③
41	RS127G-34	1	3	4	① ②
42	RS127G-35	1	3	5	①
43	RS127G-36	1	3	6	
44	RS127G-42	1	4	2	① ② ③ ④
45	RS127G-43	1	4	3	① ② ③
46	RS127G-44	1	4	4	① ②
47	RS127G-45	1	4	5	①
48	RS127G-46	1	4	6	

開關連接狀態 (Switch the connection status)



軸的種類 (The types of shaft)

			
L	15	20	25
A	6	10	12
M	1	2	2

L	15	20	25
A	7	12	12

技術參數 (Technical parameters)

旋轉力矩 Rotational torque	500 ± 200gf.cm(Without starting torque)
切换角度 Change-over angle	30° ± 3°
軸止動強度 Shaft stop strength	≥ 5Kgf.cm
功率 Rating	3A, 16V DC
接觸電阻 Rated power	≤ 50mΩ
絕緣電阻 Insulation resistance	100mΩ at DC 500V
耐電壓 Withstand voltage	1minute 500V AC
旋轉壽命 Rotational life	≥ 15,000 cycles

附件尺寸圖 (Annex size chart)

M7		M9			
Nut	Gasket	Nut	Nut	Gasket	
	